Journal of Non-Crystalline Solids 117&118 (1990) vii–xvii
North-Holland

CONTENTS

Contents vii

Section 1. Static and dynamical structure

How do we look at the order in disorders of liquid and amorphous metals through pulsed neutron scattering?
Suzuki, K. 1

Dynamical structure of liquid and amorphous metals
Price, D.L. 10

Interplay of the atomic and electronic structure in molten and glassy metals
Hafner, J. 18

Structure of liquid metals under high pressure
Tsuji, K. 27

Structure and concentration fluctuations in liquid alloys
Hoshino, K. and W.H. Young 35

Structure of expanded liquid caesium
Hoshino, K., N. Matsuda, H. Mori and M. Watabe 44

Effect of screening on low angle structure factors for expanded liquid rubidium
McLaughlin, I.L. 48

Density measurement for fluid selenium by the X-ray absorption method
Hosokawa, S. and K. Tamura 52

Formation of zintl-ions in alkali–lead alloys
Reijers, H.T.J., W. van der Lugt, M.-L. Saboungi and D.L. Price 56

The structure of Li–Ga
Reijers, H.T.J., W. van der Lugt, J.B. van Tricht and W.A.H.M. Vlak 60

Polyanionic clusters in liquid alkali–lead compounds
Hafner, J. 64

Structural study of liquid Na–Tl alloys by neutron diffraction
Takeda, S., S. Harada, S. Tamaki, E. Matsubara and Y. Waseda 68

Pressure-induced structural change of liquid cesium
Tsuji, K., K. Yaoita, M. Imai, T. Mitamura, T. Kikegawa, O. Shimomura and H. Endo 72

Dynamical observation of the structure change at the melting point of In metal by a time-differential perturbed correlation method
Kawase, Y., S.-i. Uehara and S. Nasu 76

Electron charge distribution in liquid sodium
Takeda, S., S. Harada, S. Tamaki and Y. Waseda 80

X-ray and neutron diffraction studies of liquid Tl–Se system
Kameda, Y., O. Uemura, K. Hangai and T. Satow 84

Structure and electronic properties of liquid Tl–$TlAsSe_2$ system
Uemura, O., Y. Kameda, T. Mineta and T. Satow 88

A modified hypernetted-chain integral equation for the supercooled liquid of inverse power potentials
Kambayashi, S. and Y. Hiwatari 92

A molecular dynamics study of liquid copper near the melting point
Arai, T., I. Yokoyama and Y. Waseda 96
Low angle structure factors of simple liquid metals using a hard sphere reference system
McLaughlin, I.L. and K.N. Khanna 100
Hard-sphere Yukawa reference system for soft spheres
Kahl, G. 104
Bonding and dynamics in liquid metallic alloys
Ott, K., M. Dürrwächter, M.A. Haghani and D. Quitmann 108
EXAFS studies on liquid Se–Te mixtures
Inui, M., K. Tamura, M. Yao, H. Endo, S. Hosokawa and H. Hoshino 112
Collective modes in liquid cesium near the melting point
Bodensteiner, T., C. Morkel, P. Müller and W. Gläser 116
Dynamic structure of molten $0.80RbNO_3$–$0.20Sr(NO_3)_2$ mixture by neutron quasielastic scattering
Shibata, K., T. Kamiyama, K. Suzuki and K. Inoue 120
A WCA study of binary liquid metal alloys with a non-additive hard-sphere reference system
Kahl, G. 124
Liquid metallic lithium as a nucleus–electron mixture
Chihara, J. 128
Ordering potential and chemical short range order in the structure of model liquid binary alloys
Gonzalez, D. J., L.E. Gonzalez and M. Silbert 132
Slips in crystallites observed by neutron double Bragg reflections at small scattering angle
Ono, M. and S. Okamoto 136
Inelastic neutron scattering in SeTe glasses
Carini, G., M. Cutroni, A.J. Dianoux, G. Galli, L.M. Needham and H.M. Rosenberg 140
EXAFS and diffraction studies of athermal agitation effects on the local structure of amorphous $Ni_{75}Si_8B_{17}$ alloy
Hida, M., H. Maeda, K. Kani, H. Mori, A. Sakakibara and Y. Takemoto 144
Structure and interatomic pair potentials for $Fe_{80}B_{20}$ metallic glass
Li, J.-C. and N. Cowlam 148
Atom-probe field-ion microscope study of amorphous structure: Markov chain analysis
Yamamoto, M., K. Kawabata, S. Nenno and I. Ohnaka 152
Radiation damage of amorphous alloy by heavy ion
Okamoto, Y., R. Takagi and K. Kawamura 156
Laser melted Fe–B alloys
Fetzer, C., L. Gránásy, T. Kemény, M. Tegze and I. Vincze 160
X-ray diffraction study of Al–Ni–Si and Al–Ni–Ge alloy glasses
Yamada, M., H. Tsunoda, N. Matsui, K. Tanaka and U. Mizutani 164
Local structure of amorphous (Ni,Fe)–Zr alloys
Kemény, T., L. Gránásy, A. Lovas and I. Vincze 168
Analysis of the full small-angle scattering curve of Al–Li alloys
Triolo, R. and E. Caponetti 172
A critical look at the RDF's of 11 different amorphous alloys
Thijsse, B.J. and J. Sietsma 176
Structural diffusion model calculations of the pair distribution function and structure factor of bcc-like amorphous systems
Baer, S., J.M. Lopez and M. Silbert 180
Structure and entropy change in amorphous materials
Baer, S. 183

Local structure and energetics in a model glass
Watanabe, M.S. and T. Tsumuraya 187
Nuclear and magnetic medium range order in amorphous $Tb_{65}Cu_{35}$ and $Er_{69.5}Cu_{30.5}$ alloys
Boucher, B., P. Chieux, M. Sanquer and R. Tourbot 191
Structural and electronic properties of Ca–Zn glasses
Tegze, M. and J. Hafner 195
Structure and phase transformations of sputtered Nb–Fe and Nb–Co films
Krebs, H.-U., W. Biegel, R. Bormann and R. Busch 199
Effects of structural relaxation on the elastic properties of amorphous CuTi
Mizubayashi, H., S. Hoshina and S. Okuda 203
The investigation of amorphous alloys structure by the ferromagnetic resonance method
Antonov, A.C., A.N. Lagarikov and L.V. Panina 207
The topological characteristics and electron bonding in simple and metal–metalloid systems: Crystal, liquid, glass versus Penrose lattice
Bratkovsky, A.M. and A.V. Smirnov 211
Local arrangement of amorphous GeSe2 from the viewpoint of crystallization sequence by electron microscopic observations
Okabe, T., K. Nakamura and M. Nakagawa 215
Thermally induced crystallization of amorphous $Ge_{0.4}Se_{0.6}$
Uemura, O., Y. Kameda, S. Kokai and T. Satow 219
Simultaneous crystallization of both elements in amorphous Ge–Sb and Ge–Al eutectic alloys
Okabe, T., S. Endo and S. Saito 222
Analysis of crystallization process of Metglas 2605SC by dilatometer
Taniwaki, M., T. Suzuki and M. Maeda 226
The activation energies for nucleation and growth during crystallization in $Cu_{40}Ti_{60}$ glass
Miao, W.F., J.T. Wang, S.L. Li and B.Z. Ding 230
Changes in density and structure of amorphizing alloys at crystallization
Basin, A.S. and V.A. Alekseev 234
The crystallization kinetics of amorphous $Fe_{40}Ni_{40}B_{20}$ measured by several physical properties
Van Veldhuizen, H.B., G.W. Koebrugge, J. Sietsma and A. van den Beukel 240
The relation of high-temperature stability of amorphous alloys with nucleation and growth of the crystalline phases
Kharkov, E.I., V.I. Lysov and A.M. Ishchenko 244
Investigation of the radiation damage of the amorphous $Ni_{60}Nb_{40}$ alloy and microcrystalline Ni during irradiation of 2.5 MeV alfa-particles
Aksenov, P.V., A.N. Mansurova, A.V. Mikhailov and A.I. Ryazanov 248
Structural defects and reversable relaxation of locally regular amorphous solids
Bakai, A.S. 252
Concerning the theory of structural relaxation of amorphous alloys containing dissolved gas atoms
Volkov, A.E. and A.I. Ryazanov 256
Thermal stability and microstructure of the electrodeposited amorphous $Fe_{80}P_{18}Yb_2$ alloy
Zhang, Y.Z., L.H. Zhe, X.Z. Du and R.M. Yang 259
Manufacture of amorphous GeSn alloys
Chang, I.T.H., B. Cantor and A.G. Cullis 263

Section 2. Electronic structure
Electronic structure of liquid alloys from photoelectron spectroscopy
Oelhafen, P., A. Pflugi and G. Indlekofer 267

Magnetic order in Be clusters
Ozaki, M.-a. and A. Ikawa 277
Molecular orbital study for electronic structures of metallic microclusters
Sakamoto, S., F. Yonezawa, F. Wooten, S. Nosé and M. Hori 281
Shell model and magnetism of transition-metal microclusters
Fujima, N. and T. Yamaguchi 285
Chemical modification of liquid semiconductors: The As_2Te_3–Tl and As_2Te_3–Bi systems
Nakamura, Y., M. Hiruta and H. Hashimoto 289
Influence of indirect magnetic interaction on the stability of amorphous alloys
Häussler, P., D. Moorhead, R. Hauert, H. Poppa and E. Kay 293
Ab-initio tight-binding theory for the electronic structure
Liu, F., S.N. Khanna and P. Jena 297
A new simple pseudopotential with applications to liquid metal structure factor
Hasegawa, M., K. Hoshino, M. Watabe and W.H. Young 300
Trends in the electronic structure of the polyvalent liquid metals
Jank, W. and J. Hafner 304
Analytical screened form factor obtained from Bachelet, Hamann and Schluter pseudopotential I
Koubaa, N. and J.G. Gasser 308
Electronic properties of liquid gallium–germanium alloys interpreted with Bachelet, Hamann and Schlutter pseudopotential II
Koubaa, N., L. Anno and J.G. Gasser 312
Interatomic potentials of alloys obtained from non local model potentials III
Koubaa, N. and J.G. Gasser 316
A cluster model calculation of electronic structure in Fe–B amorphous alloy
Itoh, F., H. Adachi, S. Nasu and K. Suzuki 320
A theoretical approach to the optical properties of trigonal and chain $Se_{1-x}Te_x$
Yamaguchi, T. and F. Yonezawa 324
Semi-empirical model studies of electronic and lattice structures of chains of Se and Te and defects in them
Ikawa, A. and H. Fukutome 328
Vector charge density wave model of metallic Te and Se
Shimoi, Y. and H. Fukutome 332
Electron spectroscopy of liquid Pd–Si and Pd–Bi alloys
Pflugi, A., G. Indlekofer and P. Oelhafen 336
Electronic structure of liquid lithium and sodium from electron spectroscopy
Indlekofer, G. and P. Oelhafen 340
Spin-echo NMR study of ^{59}Co-hyperfine field distributions in amorphous (Co,T)–B alloys (T = Fe,Ni,Mn)
Misawa, M., Y. Tanaka, H. Nagai and A. Tsujimura 344
The magnetic suceptibility of liquid alkali–thallium alloys
Itami, T., T. Sasada, N. Iwaoka and M. Shimoji 347
Electronic structure of liquid polyvalent metals studied by synchrotron radiation photoelectron spectroscopy
Indlekofer, G., A. Pflugi, P. Oelhafen, D. Chaveau, C. Guillot and J. Lecante 351
Electrical resistivities of liquid K–Bi and Cs–Bi alloys
Meijer, J.A. and W. van der Lugt 355
Low-temperature specific heat of V-substituted Ni–Zr (V) metallic glass
Kai, K., T. Nomoto, T. Fukunaga and K. Suzuki 359

Mössbauer analysis of superconductivity in tin and tin–copper films vapour-deposited on cold substrates
Taniwaki, M., M. Uneta, K. Kasaya and M. Maeda 363
Magnetic susceptibilities of liquid transition metal–tellurium alloys
Okada, T., S. Ohno and M. Iida 367
Thermoelectric power of amorphous $Co_{100-x}B_x$ alloys
Tu, G.-h., Y.-g. Zhang and Z. Altounian 371
Two-level systems and electrical resistivity of amorphous Zr–Cu alloys
Lasjaunias, J.C. and O. Laborde 375
Effect of the reduction in grain size on electron transport properties in Cu-based fcc alloys
Sato, H., S. Tanaka, Y. Baba, T. Matsuda and U. Mizutani 379
Structure and electrical resistivity of liquid silver–germanium alloys
Gasser, J.-G., M. Mayoufi, R. Kleim and M.-C. Bellissent-Funel 383
Electrical resistivity of liquid Bi alloys with normal, noble and transition metals
Kefif, B., H. Halim, M. El Ghemaz and J.G. Gasser 387
Anomalous concentration dependence of the resistivity of liquid Ni–Sb alloys
Benazzi, N., J.G. Gasser and P. Terzieff 391
Electrical transport properties of the liquid Al–Cu alloys
Bretonnet, J.-L., J. Auchet and J.G. Gasser 395
Phase shifts of liquid germanium determined from muffin tin potential. Calculation of electronic transport properties
Hugel, Z. and J.G. Gasser 399
The electrical conductivity and electron correlations in liquid metals
Yoshida, F. 402
Muffin-tin EMA calculations of electrical resistivity for liquid and amorphous metals
Fresard, R., H. Beck and M. Itoh 405
Hall effect in disordered metals with strong short range order
Itoh, M. 409
A new approach to electronic transport in disordered systems with strong scattering
Mayou, D., S.N. Khanna, F. Cyrot-Lackmann 413
Photelectron spectra of liquid metals using synchrotron radiation
Kakizaki, A., M. Niwano, H. Yamakawa, K. Soda, T. Ishii and S. Suzuki 417
High resolution Compton profiles of liquid Li, Na and Li–Na alloy
Itoh, F., T. Sugawa, H. Sakurai, K. Suzuki, N. Sakai, M. Ito, N. Shiotani, H. Kawata and M. Ando 421
Electronic and atomic structure of hydrogenated amorphous Ni–Zr alloys from photoelectron spectroscopy and EXAFS
Zehringer, R., E.K. Hlil, M.-H. Tuilier, P. Oelhafen and H.-J. Güntherodt 425
XPS studies on the electronic structures of sputter-deposited and hydrogenated Ti–Pd alloy films
Tanaka, K., M. Ushida, K. Sumiyama and Y. Nakamura 429
Recent progress in electron transport of amorphous metals
Richmond, T., L. Rohr, P. Reimann and H.-J. Güntherodt 433
Thermopower and the virtual bound state in liquid CuNi
Van Zytveld, J.B. 437

Section 3. Metal–nonmetal transition
Metal–nonmetal transition in expanded liquid metals and metal clusters
Hensel, F. 441

Semiconductor–metal transition in fluid selenium near the critical point
Tamura, K. 450
Low density electron dynamics in liquids
Warren, Jr., W.W. 460
Variational MHNC calculations of the structure of expanded liquid rubidium
Gonzalez, D.J., D.A. Ng and M. Silbert 469
Optical absorption coefficient of dense mercury vapor
Yao, M., W. Hayami and H. Endo 473
Theoretical study of metal–nonmetal transition in microclusters
Yonezawa, F., S. Sakamoto and F. Wooten 477
Model for a system of divalent atoms
Hernandez, J.P. and L.W. Martin 481
Microclusters confined in zeolite cage
Katayama, Y., K. Maruyama and H. Endo 485
Optical absorption spectra of fluid selenium near the nonmetal–metal transition region
Hosokawa, S. and K. Tamura 489
The optical properties of liquid selenium and tellurium
Ikemoto, H., I. Yamamoto and H. Endo 493
Magnetoconductance of amorphous Y_x–Si_{1-x} alloys near the metal–insulator transition
Sanquer, M., R. Tourbot, B. Boucher, J.M. Broto and H. Rakoto 497
On the nature of anomalous values of electrical conductivity in the earth's mantle and core (metallization of liquid earth's matter)
Alekseev, V.A. 501
Author index xx

Part II

Contents vii

Section 4. Thermodynamics
Thermodynamic properties of compound-forming liquid alloys
Sommer, F. 505
Thermodynamic calculation for liquid lithium using one-component-plasma system
Lai, S.K. 513
Thermodynamic properties of liquid Na-polyvalent alloys under high pressure
Takeda, S., S. Tamaki, S. Harada and N.E. Cusack 517
Thermodynamic activity of alkali metals in alkali metal–gold alloys
Kilic, H.H., S. Pietzko and R.W. Schmutzler 521
Local structure of liquid rubidium–selenium mixtures
Hoshino, H. and H. Endo 525
A survey of new and known models for the estimation of mixing enthalpies of multicomponent systems
Lück, R., Z.-C. Wang and B. Predel 529
Fractions of different particles in liquid alloys according to a generalized association model
Lück, R. 533
Kinetics of phase separation and matrix crystallization in electroless Ni–Co–15 at.% P amorphous alloys
Azhdari, K., S.K. Barthwal, V.K. Tandon and S. Ray 535
Determination of the free energy of metastable crystalline and amorphous Nb–Co alloys and its application to metastable phase formation
Bormann, R. and R. Busch 539

Multicomponent alloy with random interactions
Kaburagi, M., K. Ebina and T. Tonegawa 543
Compositional correlations in the thermal stability of amorphous iron–rare earth metal–boron alloys
Kim, J.-K. and K.-i. Hirano 547
Evidence for solid F.C.C.–liquid state transition and transformation through intermediate solid phase
Ljakutkin, A., E. Kaisersberger and L. Giersig 551
Thermodynamics of undercooled Pd–Cu–Si melts
Gillessen, F. and D.M. Herlach 555
Variational thermodynamic calculation for supercooled metallic liquids
Shen, T., J.T. Wang and S. Wang 559
Volume and thermal expansion of mercury in the temperature range 0–150°C and pressure range 0–8 kbar
Kumari, M. and N. Dass 563
Densities of Ga–In and In–Sn alloys in the solid and liquid states
Iida, T., Y. Kita, Y. Kiruya, T. Kirihara and Z.-i. Morita 567
Localized two liquids phase and non-metal–metal transition in the liquid S–Te system
Tsuchiya, Y. 571
Heat capacities of liquid Sb–Se and Bi–Se alloys
Kakinuma, F., S. Ohno and K. Suzuki 575
Thermal pressure coefficients of liquid alkali metals: One-component plasma model
Naito, S., I. Yokoyama and Y. Waseda 579
A simple modification of Young–Hoshino pseudopotential for Li: Calculations of structure and thermodynamics
Das, T. and R.N. Joarder 583
Determination of the Gibbs free energy in the As–Zn system from thermodynamic data of the ternary As–Cd–Zn system
Mikula, A. and K.L. Komarek 587
Ab initio calculation–of the thermodynamic properties of liquid alloys with the application to Ni–Al. A nonlocal resonant pseudopotential approach
Kovneristyi, Yu.K., N.A. Vatolin, E.G. Gurskaya, A.I. Landa, M.V. Romankevitch and A.A. Yuryev 589
Direct entropy calculation from computer simulation of liquids
Baranyai, A. and D.J. Evans 593
Isothermal–isobaric molecular dynamics simulation of polymorphic phase transitions in alkali halides
Ruff, I., A. Baranyai, E. Spohr and K. Heinzinger 597
Effect of free volume on the kinetics of chemical short range ordering in amorphous $Fe_{40}Ni_{40}B_{20}$
Koebrugge, G.W., J. van der Stel, J. Sietsma and A. van den Beukel 601
Role of energetic disorder on diffusion in amorphous alloys
Limoge, Y. and J.-L. Bocquet 605
Structural relaxation and equilibrium free volume in amorphous $Pd_{40}Ni_{40}P_{20}$
Koebrugge, G.W., J. Sietsma and A. van den Beukel 609

Section 5. Molten salts
Bulk and surface characteristics of metal–molten salt solutions
Freyland, W. 613
Temperature variation of structure factor for molten LiI
Al-Hajry, A., J.M. Titman, M.S. Wright, N. Cowlam and P. Convert 623

The structure of glassy zinc chloride: a reverse Monte Carlo study
Pusztai, L. and R.L. McGreevy 627
Sound wave propagation in molten salts
Takeda, S.-i., Y. Shirakawa, K.-i. Takesawa, S. Harada and S. Tamaki 631
Molecular dynamics of the structure and transport properties of amorphous AgI
Trullas, J., A. Giro and M. Silbert 635
Partial structure factors of molten salts
Shirakawa, Y., S. Tamaki, M. Saito, S. Harada and S.-i. Takeda 638
Local coordination of polyvalent metal ions in molten halide mixtures
Akdeniz, Z. and M.P. Tosi 642

Section 6. Surface
Density profile and surface tension of a model binary alloy
Osman, S.M. and M. Silbert 646
Monte Carlo simulation studies of surface properties of liquid metals
Ishida, A., M. Hasegawa and M. Watabe 650
Interaction of CO with hydrogen on hydrogenated amorphous Ni–Zr
Zehringer, R., P. Oelhafen and H.-J. Güntherodt 654
Effect of tungsten on corrosion behavior of amorphous FeCrZr alloys
Naka, M., M. Miyake and I. Okamoto 658
Structures of liquid metal surfaces and the specular reflection of fast electrons
Hasegawa, M. and T. Ichikawa 662
Surface and bulk magnetism in ferromagnetic glasses
Ivison, P.K., N. Cowlam, Z. Zhong and J.M. Williams 666

Section 7. Amorphization
Amorphization by mechanical alloying
Koch, C.C. 670
Pressure-induced amorphous phases
Ponyatovsky, E.G., I.T. Belash and O.I. Barkalov 679
Amorphization of Al–Fe alloys formed by ball milling and repeated rolling
Huang, B., N. Tokizane, K.N. Ishihara, P.H. Shingu and S. Nasu 688
An investigation of the solid state reaction in NiZr multilayers by neutron reflectometry
Zarbakhsh, A., N. Cowlam, R.J. Highmore, J.E. Evetts, J. Penfold and C. Shackleton 692
Simultaneous amorphization at interfaces and grain boundaries in a Ni/Ti multilayer
Hollanders, M.A. and B.J. Thijsse 696
Amorphization of immiscible Cu–Ta system by mechanical alloying and its structure observation
Fukunaga, T., K. Nakamura, K. Suzuki and U. Mizutani 700
Destabilization and vitrification of crystalline matter
Fecht, H.J. and W.L. Johnson 704
High pressure effects on diffusion in an amorphous alloy
Limoge, Y. 708
Glass transition behavior of Al- and Mg-based amorphous alloys
Inoue, A., K. Ohtera, M. Kohinata, A.-P. Tsai and T. Masumoto 712
Variation of Avrami exponent for crystallization of melt-spun amorphous ribbons
Lu, K. and J.T. Wang 716
The Ni–Ni partial structure in Ni–V alloy system observed by neutron scattering during mechanical alloying amorphization process
Fukunaga, T., Y. Homma, M. Misawa and K. Suzuki 721

EXAFS study on solid state amorphization process of Ni–Nb alloy by mechanical alloying
Nasu, T., K. Nagaoka, T. Sekiuchi, M. Sakurai, T. Fukunaga, F. Itoh and K. Suzuki 725
Preparation of Al_xTa_{1-x} amorphous alloy powder by mechanical alloying
El-Esksndarany, M.S., F. Itoh, K. Aoki and K. Suzuki 729
Differential scanning calorimetry study of various intermetallic compounds subjected to mechanical grinding
Lee, C.H., M. Mori and U. Mizutani 733
Non-equilibrium phases formed by mechanical alloying of Cr–Cu alloys
Ogino, Y., T. Yamasaki, S. Murayama and R. Sakai 737
Preparation of iron–nickel based metal–metalloid amorphous powders by mechanical alloying
Miura, H., S. Isa and K. Omuro 741
Amorphization in gallium arsenide by tin and iron ion implantation
Taniwaki, M., H. Koide, T. Yoshiie, Y. Hayashi and H. Yoshida 745
Amorphization of Ni–Nb based alloys irradiated with alpha-particles
Aksenov, P.V., A.I. Ryazanov, Yu.V. Tikhonov, N.P. Djakonova, V.K. Semina and Yu.A. Skakov 749
Amorphization of electrodeposited Fe–W alloy films and electrochemical behavior
Ruan, Y., S. Yao and M. Kowaka 752

Section 8. Quasicrystals
Octagonal and decagonal quasicrystals
Kuo, K.H. 756
Atomic structure of Al–Mn quasicrystal
Yamaguchi, T. and N. Fujima 765
Atomic-packing characteristics of crystalline, quasicrystalline and amorphous structures of a simple metal system
Tei, T., S. Takeuchi and K. Kimura 769
Icosahedrally related 1D quasicrystals
Lele, S. and R.K. Mandal 773
Structural features of quasicrystals and their electronic states for two- and three-dimensional cases
Ninomiya, T. 777
Conductance fluctuation of a Penrose tiling
Tsunetsugu, H. 781
Fe–Cu icosahedral phase and its thermal and magnetic properties
Liu, B.X., C.H. Shang, L.J. Huang and H.-D. Li 785
Quasicrystals and amorphous alloys in Ti–Zr–Ni system: glassforming ability, structure and properties
Molokanov, V.V. and V.N. Chebotnikov 789
Positron annihilation study of quasicrystalline phases
Kanazawa, I., T. Kizuka, M. Ohata, Y. Sakurai, S. Nanao and T. Iwashita 793
The short-range structures of the icosahedral amorphous Al–Mn–Si alloys detected by TDPAC
Kanazawa, I., Y. Yamazaki, Y. Sakurai, S. Nanao and T. Iwashita 797
Ultrasonic velocity in large-grained Al–Li–Cu quasicrystal
Koizumi, H., T. Suzuki, K. Kimura and S. Takeuchi 801
Electronic properties of sp-electron dominant quasicrystalline alloys
Matsuda, T., Y. Sakabe, I. Ohara and U. Mizutani 804
Evolution of electronic and magnetic properties of amorphous and quasicrystalline Al–Mn phase between 15 and 20 at.% Mn
Godinho, M., Cl. Berger, J.C. Lasjaunias, K. Hasselbach and O. Bethoux 808

Optical properties of Al–Mn quasicrystalline phases prepared by solid state interdiffusion
Frigerio, J.-M. and J. Rivory 812
The solidification behaviour of Al–Mn melts
Kreis, J., D.M. Herlach, H. Alexander and W. Weiss 816
Matching rules for the icosahedral Penrose tiling derived by inflation–deflation procedures
Lück, R. 820
Stable decagonal and icosahedral quasicrystals
Inoue, A., A.-P. Tsai and T. Masumoto 824
Electrical resistivities of high-quality quasicrystals at low temperatures
Kimura, K., T. Hashimoto and S. Takeuchi 828
Penrose sublattices
Lück, R. 832
Numerical simulation of quasicrystals
Lançon, F. and L. Billard 836
Structural modulation induced by phasons in quasicrystals
Ishii, Y. 840
Electronic structure in three-dimensional quasicrystals
Fujiwara, T. 844
The reciprocal space properties and localization properties of the electronic wave functions in quasicrystals
Niizeki, K. and T. Akamatsu 848

Section 9. Freezing and glass transition
Theory of freezing
Ramakrishnan, T.V. 852
Molecular dynamics study of binary alloys near the glass transition
Hiwatari, Y. and H. Miyagawa 862
Theory of freezing for quantum systems
Pastore, G. and G. Senatore 871
Dynamical extension of the density functional theory
Munakata, T. 875
Diffusion in ordinary and supercooled liquid rubidium
Balucani, U., T. Gaskell and R. Vallauri 879
Molecular dynamics study of crystallization of the soft-core model
Tanemura, M., H. Matsuda, T. Ogawa, N. Ogita and A. Ueda 883
Stochastic model for a glass transition
Odagaki, T. and Y. Hiwatari 887
Glass transition temperature and viscosity of supercooled melts
Wachter, J. and F. Sommer 890
Density functional theory of the freezing of the hard-core Yukawa fluid
Renkin, M. and J. Hafner 894
Liquid–glass transition in two-component charged-hard-spheres
Thakur, J.S. and J. Bosse 898
Dynamical correlations in binary soft-sphere glasses
Miyagawa, H. and Y. Hiwatari 903
Effects of quenching rate on liquid–glass transition
Lai, S.K. and M.S. Lin 907

Specific heat investigation of the glass transition and crystallization of amorphous $NiZr_2$ using low heating rates
Lück, R., Q. Jiang and B. Predel 911

Section 10. Quantum simulation
Quantum Monte Carlo study of the metal–insulator transition for a hydrogen lattice
Futral, W.S. and B.J. Alder 915
First principles MD simulation of liquid and amorphous selenium
Hohl, D. and R.O. Jones 922
Dipolar atoms and spin paired species in Na–NaBr solutions
Xu, L.F., A. Selloni and M. Parrinello 926
Atomic structure and bonding in liquid GaAs
Zhang, Q.-M., G. Chiarotti, A. Selloni, R. Car and M. Parrinello 930

Section 11. Concluding remarks
Concluding Remarks (Experimental)
Hensel, F. 935
Concluding Remarks (Theoretical)
Tosi, M.P. 939

Author index 941
Subject Index 953